

SCHEDULE OF CONSTRUCTION MATERIALS


CONCRETE	LOCATION	28-DAY COMPRESSIVE STRENGTH
	EXTERIOR CONCRETE (EXPOSED TO FREEZING)	4,500 P.S.I. MIX TYPE D
	EXTERIOR CONCRETE (NOT EXPOSED TO FREEZING)	3,000 P.S.I. MIX TYPE A
	FOOTINGS AND FOUNDATION WALLS	3,000 P.S.I. MIX TYPE A
	INTERIOR CONCRETE SLABS ON GRADE	3,000 P.S.I. MIX TYPE A
NOTE: CONCRETE STRENGTH USED IN DESIGN IS 2500 P.S.I.		

NOT TO SCALE

Sheet S601

Project Number: 0805
Plan Series: FAY-170-02 [07]-02
Property Number: 500-0881-08020101

Addendum No. 1 Oct. 19, 2009

Project for: THE CHURCH OF JESUS CHRIST OF LATTER-DAY SAINTS	THOMASTON, GA BRANCH JONESBORO, GA STAKE HWY. 36 North of ROCK HILL SCHOOL RD. THOMASTON, GA. 30286	 <p style="font-size: small;">American Institute Of Architects AIA</p> <p style="font-size: x-small;"> • 401 CHERRY STREET SUITE 700 MACON, GEORGIA 31201 USA • TEL 478 750 7117 • FAX 478 750 9122 </p>	DATE 10/19/09 SHEET NO. AD-1
------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------