


# WESTLAKE HIGH SCHOOL STADIUM IMPROVEMENTS

2400 UNION ROAD S.W., ATLANTA, GEORGIA 30331

## FULTON COUNTY SCHOOLS



Westlake High School  
Stadium  
Improvements

2400 Union Road, S.W.  
Atlanta, Georgia 30331

### PROJECT TEAM

**OWNER**  
FULTON COUNTY BOARD OF EDUCATION  
5270 WINDFIELD BOULEVARD  
ATLANTA, GEORGIA 30326  
TELEPHONE: (404) 899-8881  
FAX: (404) 899-8889  
E-MAIL: LENO@FULTONK12.GA.US

**FULTON COUNTY SCHOOL SYSTEM - ANNEX**  
3000 COLLETTA ROAD  
8760 ERS ROAD  
ROSWELL, GEORGIA 30075  
TELEPHONE: (770) 453-3300  
FAX: (770) 453-3336  
E-MAIL: DEMARSH@FULTONK12.GA.US

**PROJECT ADMIN**  
TELEPHONE: (770) 945-3300  
E-MAIL:

**WESTLAKE HIGH SCHOOL**  
ATLANTA, GEORGIA 30333  
CONTACT: KATH WALKER  
TELEPHONE: (404) 344-6400  
E-MAIL: WALKER@FULTONK12.GA.US

**ARCHITECT**  
GARDNER SPENCER SMITH, TENCH & HENSELEY  
127 PEACHTREE STREET  
SUITE 1020  
ATLANTA, GA 30303  
CONTACT: KATH SLODKON  
TELEPHONE: (404) 522-8805  
FAX: (404) 522-8806  
E-MAIL: KATH@GSSSTJ.COM

**CIVIL ENGINEER**  
GSSSTJ, INC.  
545 COLONIAL PARK DRIVE  
ROSWELL, GEORGIA 30075  
CONTACT: JAMES M. TENCH  
TELEPHONE: (770) 467-0681  
FAX: (770) 467-7719  
E-MAIL: JMTENCH@GSSSTJ.COM

**STRUCTURAL ENGINEER**  
GSSSTJ, INC.  
SUITE 100  
ATLANTA, GA 30303  
CONTACT: JAMES M. TENCH  
TELEPHONE: (770) 467-0685  
FAX: (770) 467-6839  
E-MAIL: JMTENCH@GSSSTJ.COM

**MECHANICAL ENGINEER**  
BVA MECHANICAL ENGINEERS INC.  
500 BISHOP STREET, SUITE F3  
ATLANTA, GEORGIA 30303  
CONTACT: JAMES M. TENCH, P.E.  
TELEPHONE: (404) 355-0099  
FAX: (404) 355-0080  
E-MAIL: JMTENCH@BVA.COM

**ELECTRICAL ENGINEER**  
ROBBERS CONSULTING ENGINEERS  
455 EAST PACES FERRY ROAD  
ATLANTA, GA 30305  
CONTACT: ERIC YARN  
TELEPHONE: (770) 228-8445  
FAX: (770) 228-8446  
E-MAIL: ERIC@RCSSESSTJ.COM


FULTON COUNTY BUILDING OFFICIAL  
FULTON COUNTY BUILDING DEPARTMENT  
BUILDING CONSTRUCTION SECTION

FULTON COUNTY FIRE MARSHALL  
FIRE MARSHALL  
FULTON COUNTY FIRE DEPARTMENT  
ATLANTA, GEORGIA

### GENERAL NOTES

- DO NOT SCALE DRAWINGS. USE WRITTEN DIMENSIONS ONLY. SUBMIT ANY DISCREPANCIES TO THE ARCHITECT FOR CLARIFICATION PRIOR TO EXECUTION OF THE WORK IN QUESTION.
- ALL DIMENSIONS ARE TO FACE OF FINISH MATERIAL UNLESS CLEARLY SHOWN OR NOTED OTHERWISE.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR EXECUTION OF THE WORK IN ACCORDANCE WITH THE DRAWINGS AND SPECIFICATIONS UNLESS WRITTEN NOTIFICATION TO THE CONTRARY IS ISSUED AND SIGNED BY THE OWNER AND/OR ARCHITECT.
- THE LOCATION OF THE EXISTING UTILITIES AND STRUCTURES SHOWN IN THE DOCUMENTS ARE APPROXIMATE. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE AND ACTUAL LOCATION OF SUCH UTILITIES PRIOR TO ANY EXCAVATION.
- ALL VERTICAL AND HORIZONTAL DIMENSIONS, PIPES, CONDUIT, AND SIMILAR ASSEMBLIES IN FINISHED ROOMS SHALL BE ENCLOSED IN A FINISHED CHASE. THE MATERIALS AND FINISHES OF SUCH CHASES SHALL MATCH ADJACENT FINISHED WALLS.
- FURNISH ACCESS PANELS IN WALLS AND NON-ACCESSIBLE TYPE CEILINGS WHERE SERVICE OR ADJUSTMENT TO MECHANICAL, PLUMBING OR ELECTRICAL EQUIPMENT MAY BE REQUIRED. ACCESS PANELS SHALL BE EQUAL IN FIRE RATING TO SURFACE IN WHICH THEY OCCUR. REFER TO ENGINEERING DRAWINGS FOR LOCATION OF MECHANICAL, PLUMBING AND ELECTRICAL EQUIPMENT.
- PROVIDE CONTROL JOINTS IN GYPSUM WALL BOARD AS SHOWN IN THE DRAWINGS. OR IF NOT SHOWN, MAXIMUM ALLOWED PER MANUFACTURERS SPECIFICATION.
- TIGHTLY SEAL ANY OPENINGS IN FIRE RATED WALLS BY DUCTS, PIPES, CONDUIT, STRUCTURAL MEMBERS, OR ANY OTHER MATERIALS. OPENINGS IN METAL STUD PARTITIONS SHALL BE SEALED WITH FIRE SHIMING.
- GYPSUM WALLBOARD IN ROOMS SUBJECT TO MOISTURE ACCUMULATION (TOILETS, SHOWERS, JANITORS CLOSETS, ETC.) SHALL BE MOISTURE RESISTANT TYPE.
- ALL GYPSUM WALL BOARD MATERIAL IN FIRE RATED ASSEMBLIES SHALL BE FIRE RESISTIVE UL CLASSIFIED MATERIAL APPLIED IN STRICT COMPLIANCE TO THE APPLICABLE FIRE TEST DESIGN WITH JOINTS ON OPPOSITE WALL FACES STAGGERED. FASTENERS SHALL BE OF APPROVED TYPE AND INSTALLED IN ACCORDANCE WITH APPLICABLE FIRE TEST. ALL WALLBOARD JOINTS IN ALL PARTITION WALLS SHALL BE TAPED AND FINISHED WITH JOINT COMPOUND, INCLUDING THOSE ABOVE THE FINISHED CEILING. PENETRATIONS FOR PIPES, CONDUIT, FRAMING MEMBERS, DUCTS, ETC. SHALL BE FRAMED WITH RUNNER CHANNELS AND TIGHTLY SEALED. SUCH PENETRATIONS SHALL BE TIGHTLY PACKED WITH MINERAL FIBER SAFING INSULATION.
- IMMEDIATELY NOTIFY ARCHITECT IN WRITING IF ANY OMISSION, DISCREPANCY, AMBIGUITY OR ERROR IN THE CONTRACT DOCUMENTS BE DISCOVERED OR IF ANY DOUBT AS TO THE MEANING OR INTENT THEREOF SHOULD ARISE. CLARIFICATION WILL BE MADE BY REVISION TO THE CONTRACT DOCUMENTS.
- ALL ATTACHMENTS, SCREENS & BOLTS BETWEEN STRUCTURAL STEEL AND TREATED WOOD, BLOCKING AND MAILERS SHALL BE GALVANIZED.

### SYMBOLS LEGEND




### PROJ. NOTES / APP. CODES

SBCCI Standard Building Code (International Building Code), 2000 Edition, with Georgia Amendments  
 SBCCI Standard Gas Code (International Fuel Gas Code), 2000 Edition, with Georgia Amendments  
 SBCCI Standard Mechanical Code (International Mechanical Code), 2000 Edition, with Georgia Amendments  
 SBCCI Standard Plumbing Code (International Plumbing Code), 2000 Edition, with Georgia Amendments  
 National Electrical Code, 2002 Edition, with Georgia Amendments  
 SBCCI Standard Fire Prevention Code (International Fire Code), 2000 Edition, with Georgia Amendments  
 International Energy Conservation Code, 2000 Edition, with Georgia Amendments  
 NFPA 101 Life Safety Code, 2000 Edition, as adopted and modified by the State Fire Marshal

LEGAL DESCRIPTION OF PARCEL  
 LAND LOT 114, 115 & 135 1st DISTRICT, FULTON COUNTY GEORGIA62, DISTRICT 17,  
 24,720 ACRES

CODE INFORMATION:  
 FEE: 1900  
 TOTAL U/S: 99


### SITE MAP



### INDEX OF DRAWINGS

SHEET	TITLE SHEET	SHEET DESCRIPTION
TS.00	TITLE SHEET	
CIVIL		
G-1	COVER SHEET	
G-2	OVERALL EXISTING CONDITIONS DATA	
G-3	DEMOLITION PLAN	
C-1	SITE PLAN	
C-1.1	FENCE PLAN	
C-2	GRADING PLAN	
C-3	INITIAL EROSION, SEDIMENTATION & POLLUTION CONTROL PLAN	
C-3.1	INTERMEDIATE EROSION, SEDIMENTATION & POLLUTION CONTROL PLAN	
C-3.2	FINAL EROSION, SEDIMENTATION & POLLUTION CONTROL PLAN	
C-3.3	EROSION, SEDIMENTATION & POLLUTION CONTROL NOTES	
C-3.4	EROSION, SEDIMENTATION & POLLUTION CONTROL DETAILS	
C-3.5	EROSION, SEDIMENTATION & POLLUTION CONTROL DETAILS	
C-4	TREE PROTECTION PLAN	
C-5	UTILITY PLAN	
C-6	PROFILES & DETAILS	
C-7	DETAILS	
C-8	DETAILS	
C-9	DETAILS	
C-10	DETAILS	
ARCHITECTURAL		
AS.01	ARCHITECTURAL SITE	
DI.01	DEMOLITION - SITE PLAN	
A1.00	REFEREE OUTBUILDING PLANS	
A1.01	REFEREE OUTBUILDING - RCP & ROOF PLAN	
A1.02	PRESSBOX PLANS	
STRUCTURAL		
S0.00	GENERAL NOTES	
S1.00	STADIUM FOUNDATION PLAN	
S2.00	STORAGE BUILDING FND. & ROOF FRAMING PLANS	
S3.00	SECTIONS & DETAILS	
MECHANICAL		
M-1	REFEREE OUTBUILDING - HVAC FLOOR PLAN	
M-2	PRESSBOX HVAC FLOORPLAN	
PLUMBING		
P-1	REFEREE OUTBUILDING - PLUMBING FLOOR PLAN	
ELECTRICAL		
E-1	FIELD PLAN - POWER	
E-2	POWER & LIGHTING PLANS	
E-3	FIELD PLAN SOUND	
E-4	FIELD PLAN - DATA	

OCCUPANCY GROUP:	OCCUPANCY CLASSIFICATION
EDUCATIONAL	14
CALCULATED OCCUPANT LOAD:	BUILDING AREA
FLOOR AREA (SQ. FT.):	1,695 S.F.
TOTAL NEW BUILDING AREA (SQ. FT.):	1,800 S.F.
EXISTING BUILDING AREA (SQ. FT.):	N/A
EXISTING CANOPY-PORCH AREA (SQ. FT.):	N/A
CONSTRUCTION CLASSIFICATION	TYPE V-B
TYPE OF CONSTRUCTION:	NO
SPRINKLERED (YES OR NO):	N/A
EXISTING BUILDING SPRINKLERED:	
NUMBER OF STORES:	BUILDING HEIGHT
1	19
BUILDING HEIGHT (FT.):	COUNTY ZONING HEIGHT LIMIT (FT.):
35	
DESIGN LOADS	
MINIMUM FLOOR LIVE LOADS (L <sub>1</sub> ):	SEE STRUCTURAL
MINIMUM ROOF LIVE LOADS (L <sub>2</sub> ):	SEE STRUCTURAL



Gardner  
Spencer  
Smith  
Tench &  
Jarbeau  
A Professional Corporation  
for the Practice of Architecture

127 Peachtree St. NE  
Suite 1020  
Atlanta, Georgia 30303  
404 522 8805  
404 521 2118 (f)  
www.gsstj.com

PROJECT NO.  
09102

SHEET TITLE  
TITLE SHEET

SHEET NO.  
TS.00